



## Job Site Safety Analysis

The completion of this document satisfies the determination of predictable site hazards as required in Cal/OSHA regulations, 8 CCR 1511 (b). The contractor is responsible to ensure adequate safeguards are in place as necessary for their own employees and any subcontractors used to complete the specified work.

Contractor: \_\_\_\_\_ Name: \_\_\_\_\_

Scope of Work: \_\_\_\_\_  
\_\_\_\_\_

Contact Information: ( ) \_\_\_\_ - \_\_\_\_ / ( ) \_\_\_\_ - \_\_\_\_ (Office/Cell)

Contractor Safety Representative: \_\_\_\_\_ ( ) \_\_\_\_ - \_\_\_\_ (Office/Cell)

Date of Analysis: \_\_\_\_ / \_\_\_\_ / \_\_\_\_ Job Number: \_\_\_\_\_

Estimated Job Completion Date: \_\_\_\_ / \_\_\_\_ / \_\_\_\_ Next Review Due: \_\_\_\_ / \_\_\_\_ / \_\_\_\_

Site Hazards			
Item	Expectation	Applicability	
		Yes	No
General site hazards	All personnel accessing construction sites are expected to use hard hats and safety glasses. All chemical handling shall be performed using safety goggles and face shields. No smoking in any process or construction areas.		
Confined Space	Confined spaces are labeled. Any entry into these areas will require a contractor program review and contractor issued Confined Space Entry Permit.		
Uncontrolled Hazardous Energy	There are many energy sources throughout the campus. Work on equipment or in areas where these energy sources are accessible will require isolation and lo		

**Contractor Introduced Hazards**

Activity	Applicability		Requirement
	Yes	No	
Hot Work			Contractor Hot Work Permit required for any use of ignition sources in



## Contractor Chemical Storage Requirements

Contractor: \_\_\_\_\_ Job Number: \_\_\_\_\_

Job Location: \_\_\_\_\_ Storage Location: \_\_\_\_\_

Contact Information: ( ) \_\_\_\_ - \_\_\_\_ / ( ) \_\_\_\_ - \_\_\_\_ (Office/Cell)

Material Name	Volume to be stored on site	Container Type (Drum, Tote, Tank)

### Chemical Storage Requirements

1. Chemicals proposed for storage shall be approved, prior to placement on campus, by CSULB SRM. Every chemical shall have a Material Safety Data Sheet provided to the campus by the contractor.
2. All above ground storage tanks and drums must have secondary containment.
- 3.

## **GENERAL SAFETY RULES**

The University has established a set of generic safety rules that apply to all University employees, visitors and contractors. Violators of these rules can be subject to disciplinary action or contract termination.

1. Maintain work area(s) in an orderly manner.
2. Ensure that a Material Safety Data Sheet is on site and available for any hazardous material or substance used in the completion of the contract scope. Unless directed otherwise in writing by the University, the contractor shall remove all hazardous materials from the contract site at the completion of the contract.
3. Oil, grease, paint and other slippery substances are to be cleaned up immediately.
4. Report all unsafe conditions to supervision or Construction Management and the Inspector of Record.
5. Report all accidents to your supervisor, regardless of severity of the accident.
6. Aisles and walkways are to be kept clear of tripping hazards and obstructions at all times.
7. Do not operate tools or equipment that you have not been trained to operate.
8. Engaging in horseplay or scuffling with fellow employees is prohibited at all times.
9. Pay close attention to your surroundings and do not read while walking.
10. When working in elevated locations (unprotected rooftops) do not back up. Always look in the direction of travel.
11. Employees using prescription medication shall inform their supervisor of the medication use, type and possible effects when they report to work.
12. Walk only in designated walkways and roadways. Do not take shortcuts through process or storage areas.
- 13.



